

Claire Goulet-Mainguy, DMD, résidente à la clinique de dentisterie multidisciplinaire de l'Université Laval

Simon Lafrenière, DMD, M. Sc., Cert. Perio.,
FRCD(C), parodontiste
Faculté de médecine dentaire de l'Université Laval

Péri-implantite causée par un excès de ciment : présentation d'un cas clinique

Références bibliographiques

1. Michalakis, K. X., Hirayama, H., Garefis, P. D., Cement-retained versus screw-retained implant restorations: A critical review. *Int J Oral Maxillofac Implants* 2003 ; 18 (5).
2. Levine, R. A., Present, S., Wilson, T. G. Complications with excess cement & dental implants: Diagnosis, recommendations & treatment of 7 clinical cases. *Implant Realities* 2014; 1 : 51-59.
3. Wilson, J. R., Thomas, G. The positive relationship between excess cement and peri-implant disease: A prospective clinical endoscopic study. *J Periodontol* 2009; 80 (9) : 1388-92.
4. Wadhvani, C. P. K., Wilson Jr, T. G., Chung, K. H. A. Cemented implant restorations and the risk of peri-implant disease: Current status. In Wadhvani, C. P. K. (Ed.), *Cementation in Dental Implantology* Berlin : Springer, 2015 : 15-27.
5. Rosen, P., Clem, D., Cochran, D., Froum, S., McAllister, B., Renvert, S., Wang, H. L. Peri-implant mucositis and peri-implantitis: A current understanding of their diagnoses and clinical implications. *J Periodontol* 2013; 84 (4) : 436-43.
6. Wadhvani, C., Piñeyro, A. Technique for controlling the cement for an implant crown. *J Prosthet Dent* 2009; 102 (1) : 57-8.
7. Linkevicius, T., Vindasiute, E., Puisys, A. et collab. The influence of margin location on the amount of undetected cement excess after delivery of cement-retained implant restorations. *Clin Oral implants Res* 2011; 22 (12) : 1379-84.
8. Linkevicius, T., Vindasiute, E., Puisys, A., Linkeviciene, L., Maslova, N., Puriene, A. The influence of the cementation margin position on the amount of undetected cement. A prospective clinical study. *Clin Oral implants Res* 2013; 24 (1) : 71-6.
9. Dumbrigue, H. B., Abanomi, A. A., Cheng, L. L. Techniques to minimize excess luting agent in cement-retained implant restorations. *J Prosthet Dent* 2002; 87 (1) : 112-14.
10. Agar, J. R., Cameron, S. M., Hughbanks, J. C., Parker, M. H. Cement removal from restorations luted to titanium abutments with simulated subgingival margins. *J Prosthet Dent* 1997; 78 (1) : 43-7.
11. Wadhvani, C., Hess, T., Faber, T. et collab. A descriptive study of the radiographic density of implant restorative cements. *J Prosthet Dent* 2010; 103 (5) : 295-302.
12. Present, S., Levine, R. A. Techniques to control or avoid cement around implant-retained restorations. *Compend Contin Educ Dent* 1995, 2013; 34 (6) : 432-37.
13. Wadhvani, C., Hess, T., Piñeyro, A. et collab. Cement application techniques in luting implant-supported crowns: A quantitative and qualitative survey. *Int J Oral Maxillofac Implants* 2012; 27 (4).
14. Patel, D., Invest, J. C.F., Tredwin, C. J., et collab. An analysis of the effect of a vent hole on excess cement expressed at the crown-abutment margin for cement-retained implant crowns. *J Prosthodont* 2009; 18 (1) : 54-9.