

Le succès de la photopolymérisation

Références bibliographiques

1. Price, R. B. T., McLeod, M. E., Felix, C. M. Quantifying light energy delivered to a class I restoration. *J Can Dent Assoc* 2010; 76.
2. Roberts, H. W., Vandewalle, K. S., Berzins, D. W., Charlton, D. G. Accuracy of LED and halogen radiometers using different light sources. *J Esthet Restor Dent* 2006; 18 : 214-222.
3. Ferracane, J. L., Mitchem, J. C., Condon, J. R., Todd, R. Wear and marginal breakdown of composites with various degrees of cure. *J Dent Res* 1997; 76 : 1508-1516.
4. Shortall, A., El-Mahy, W., Stewardson, D., Addison, O., Palin, W. Initial fracture resistance and curing temperature rise of ten contemporary resin-based composites with increasing radiant exposure. *J Dent* 2013; 41 : 455-463.
5. Xu, X., Sandras, D. A., Burgess, J. O. Shear bond strength with increasing light-guide distance from dentin. *J Esthet Restor Dent* 2006; 18 : 19-27.
6. Castro, F. L. A. De, Campos, B. B., Bruno, K. F., Reges, R. V. Temperature and curing time affect composite sorption and solubility. *J Appl Oral Sci* 2013; 21 : 157-162.
7. Rüttermann, S., Servos, A., Raab, W., Janda, R. In vitro effect of light-emitting diode light polymerization on the color stability of three resin-based restorative materials. *Acta Odontol Scand* 2008; 66 : 43-9.
8. Hansel, C., Leyhausen, G., Mai, U. E., Geurtsen, W. Effects of various resin composite (co)monomers and extracts on two caries-associated micro-organisms in vitro. *J Dent Res* 1998; 77 : 60-67.
9. AT, A., Alpoz, A., Bayraktar, O., F, E. Monomer Release from resin based dental materials cured with led and halogen lights. *Eur J Dent* 2010; 4 : 34-40.
10. Durner, J., Obermaier, J., Draenert, M., Ilie, N. Correlation of the degree of conversion with the amount of elutable substances in nano-hybrid dental composites. *Dent Mater* 2012; 28 : 1146-1153.
11. Rueggeberg, F. A., Caughman, W. F., Curtis, J. W. J. Effect of light intensity and exposure duration on cure of resin composite. *Oper Dent*. 1994; 19 : 26-32.
12. Yap, A., Seneviratne, C. Influence of light energy density on effectiveness of composite cure. *Oper Dent* 2001; 26, 460-466.
13. Michaud, P. L., Price, R. B. T., Labrie, D., Rueggeberg, F. A., Sullivan, B. Localised irradiance distribution found in dental light curing units. *J Dent* 2014; 42 : 129-139.
14. Santini A, Gallegos IT, F. C. Photoinitiators in dentistry: A review. *Prim Dent J* 2013; 2 : 30-33.
15. Janda, R., Roulet, J. F., Kaminsky, M., Steffin, G., Latta, M. Color stability of resin matrix restorative materials as a function of the method of light activation. *Eur J Oral Sci* 2002; 112 : 280-285.
16. Rueggeberg, F. A. State-of-the-art: Dental photocuring – A review. *Dent Mater* 2011; 27 : 39-52.
17. Leprince, J., Devaux, J., Mullier, T., Vreven, J., Leloup, G. Pulpal-temperature rise and polymerization efficiency of LED curing lights. *Oper Dent* 2010; 35 : 220-230.
18. Price, R. Light Curing guidelines for practitioners: A consensus statement from the 2014 symposium on light curing in dentistry, Dalhousie University, Halifax, Canada. *J Can Dent Assoc* 2014; 80 : e61.
19. Platt, J. A. *et al.* Light curing explored in Halifax. *Oper Dent* 2014; 39 (6) : 561-563.
20. McAndrew, R., Lynch, C., Pavli, M., Bannon, A., Milward, P. The effect of disposable infection control barriers and physical damage on the power output of light curing units and light curing tips. *Br Dent J* 2011; 210 : E12.
21. Sword, R. J., Do, U. N., Chang, J. H., Rueggeberg, F. A. Effect of curing light barriers and light types on radiant exposure and composite conversion. *J Esthet Restor Dent* 2016; 28 : 29-42.
22. Strassler, H. E. Successful light curing – not as easy as it looks. *Oral Health* 2013; July.
23. Price, R. B. T., Labrie, D., Rueggeberg, F. A., Felix, C. M. Irradiance differences in the violet (405 nm) and blue (460 nm) spectral ranges among dental light-curing units. *J Esthet Restor Dent* 2010; 22 : 363-377.
24. Price, R. B., Ferracane, J. L., Shortall, A. C. Light-curing units: A review of what we need to know. *J Dent Res* 2015; 94 : 1179-1186.

Le succès de la photopolymérisation (suite)

Références bibliographiques

25. Price, R. B. T., Rueggeberg, F. A., Labrie, D., Felix, C. M. Irradiance uniformity and distribution from dental light curing units. *J Esthet Restor Dent* 2010; 22 : 86-101.
26. Price, R. B. T., Fahey, J., Felix, C. M. Knoop microhardness mapping used to compare the efficacy of LED, QTH and PAC curing lights. *Oper Dent* 2010; 35 : 58-68.
27. Price, R. B., Labrie, D., Whalen, J. M., Felix, C. M. Effect of distance on irradiance and beam. *J Can Dent Assoc* 2011; 77 : b9.
28. Bhatt, S., Ayer, C. D., Price, R., Perry, R. D., Felix, C. Effect of curing light and restoration location on energy delivery. *AADR Meet USA Tampa, FL* 2012; Abstract 1 : 5.
29. Forss, H., Widstrom, E. Reasons for restorative therapy and the longevity of restorations in adults. *Acta Odontol Scand* 2004; 62 : 82-86.
30. Bernardo, M. *et al.* Survival and reasons for failure of amalgam versus composite posterior restorations placed in a randomized clinical trial. *J Am Dent Assoc* 2007; 138 : 775-783.
31. Rasines Alcaraz, M. G. *et al.* Direct composite resin fillings versus amalgam fillings for permanent or adult posterior teeth. *Cochrane database Syst Rev* 2014; 3 : CD005620.
32. Strassler, H. E., Price, R. B. Understanding Light Curing , Part 1. Delivering predictable and successful restorations. *Dent Today* 2014; 33 : 114-118.
33. Mahn, E. Clinical criteria for the successful curing of composite materials. *Rev Clin Periodontol Implantol Rehabil Oral* 2013; 6 : 148-153.
34. Ilie, N., Stark, K. Curing behaviour of high-viscosity bulk-fill composites. *J Dent* 2014; 42 : 977-985.
35. Zach, L., Cohen, G. Pulp response to externally applied heat. *Oral Surg Oral Med Oral Pathol* 1965; April : 515-530.
36. Choi, S. H., Roulet, J. F., Heintze, S. D., Park, S. H. Influence of cavity preparation, light-curing units, and composite filling on intrapulpal temperature increase in an in vitro tooth model. *Oper Dent* 2014; 39 : E195-205.
37. Santini, A., Watterson, C., Miletic, V. Temperature rise within the pulp chamber during composite resin polymerisation using three different light sources. *Open Dent J* 2008; 2 : 137-141.
38. Gomes, M. *et al.* Temperature increase at the light guide tip of 15 contemporary LED units and thermal variation at the pulpal floor of cavities: An infrared thermographic analysis. *Oper Dent* 2013; 38 : 324-333.
39. Rueggeberg, F. A. Potential health problems related to light curing. *ADA Prof Prod Rev* 2013; 8 : 5-6.
40. Barghi, N., Berry, T., Hatton, C. Evaluating intensity output of curing lights in private dental offices. *JADA* 1994; 125 : 992-996.
41. Pilo, R., Oelgiesser, D., Cardash, H. A survey of output intensity and potential for depth of cure among light-curing units in clinical use. *J Dent* 1999; 27 : 235-241.
42. Martin, F. A survey of the efficiency of visible light curing units. *J Dent* 1998; 26 : 239-243.
43. Miyazaki, M. *et al.* Evaluation of curing units used in private dental offices. *Oper Dent* 1998; 23 : 50-54.
44. El-Mowafy, O. *et al.* Intensity of quartz-tungsten-halogen light-curing units used in private practice in Toronto. *J Am Dent Assoc* 2005; 136 : 766-773; quiz 806-807.
45. AlShaafi, M. *et al.* Emission characteristics and effect of battery drain in 'budget' curing lights. *Oper Dent* 2015; 2 : 14-281-L.
46. Price, R. B., Labrie, D., Kazmi, S., Fahey, J., Felix, C. M. Intra- and inter-brand accuracy of four dental radiometers. *Clin Oral Investig* 2012; 16 : 707-717.
47. Labrie, D., Moe, J., Price, R., Young, M., Felix, C. Evaluation of ocular hazards from 4 types of curing lights. *J Can Dent Assoc* 2011; 77 : b116.
48. Price, R. B. T., Labrie, D., Bruzell, E. M., Sliney, D. H., Strassler, H. E. The dental curing light: A potential health risk. *J Occup Environ Hyg* 2016; 13 (8) : 639-646.