

## Références bibliographiques

1. Leonhardt, A., Dahlén, G., Renvert, S. Five-year clinical, microbiological, and radiological outcome following treatment of peri-implantitis in man. *J Periodontol* 2003; 74 (10) : 1415-1422.
2. Albrektsson, T., Donos, N., Working Group 1. Implant survival and complications. The Third EAO consensus conference 2012. *Clin Oral Impl Res* 2012; 23 (Suppl 6) : 63-65.
3. Mombelli, A., Müller, N., Cionca, N. The epidemiology of peri-implantitis. *Clin Oral Impl Res* 2012; 23 : 67-76.
4. Esposito, M., Hirsch, J. M., Lekholm, U., Thomsen, P. Biological factors contributing to failures of osseointegrated oral implants (II). Etiopathogenesis. *Eur J Oral Sci* 1998; 106 (3) : 721-764.
5. Esposito, M., Hirsch, J. M., Lekholm, U., Thomsen, P. Biological factors contributing to failures of osseointegrated oral implants (II). Etiopathogenesis. *Eur J Oral Sci* 1998; 106 (3) : 721-764.
6. Esposito, M., Hirsch, J. M., Lekholm, U., Thomsen, P. Biological factors contributing to failures of osseointegrated oral implants (I). Success criteria and epidemiology. *Eur J Oral Sci* 1998; 106 (1) : 527-551.
7. Roos-Jansåker, A. M., Lindahl, C., Renvert, H., Renvert, S. Nine- to fourteen-year follow-up of implant treatment. Part I: Implant loss and associations to various factors. *J Clin Periodontol* 2006; 33 (4) : 283-289.
8. Anonyme. Academy report. Peri-implant mucositis and peri-implantitis: A current understanding of their diagnoses and clinical implications. *J Periodontol* 2013; 84 (4) : 436-443.
9. Lindhe, J., Meyle, J., Group D of European Workshop on Periodontology. Peri-implant diseases: Consensus Report of the Sixth European Workshop on Periodontology. *J Clin Periodontol* 2008; 35 (8 Suppl) : 282-285.
10. Mombelli, A., Van Oosten, M. A., Schurch, E., Land, N. P. The microbiota associated with successful or failing osseointegrated titanium implants. *Oral Microbiol Immunol* 1987; 2 (4) : 145-151.
11. Lindhe, J., Meyle, J., Group D of European Workshop on Periodontology. Peri-implant diseases: Consensus Report of the Sixth European Workshop on Periodontology. *J Clin Periodontol* 2008; 35 (8 Suppl) : 282-285.
12. Anonyme. *European Workshop on periodontology 1st proceedings of the 1st European Workshop on periodontology, Charter House at Ittingen, Thurgau, Switzerland, February 1-4, 1993*. Londres : Quintessence, 1994.
13. Roos-Jansåker, A.-M., Lindahl, C., Renvert, H., Renvert, S. Nine- to fourteen-year follow-up of implant treatment. Part II: Presence of peri-implant lesions. *J Clin Periodontol* 2006; 33 (4) : 290-295.
14. Atieh, M. A., Alsabeeha, N. H. M., Faggion, C. M., Duncan, W. J. The frequency of peri-implant diseases: A systematic review and meta-analysis. *J Periodontol* 2013; 84 (11) : 1586-1598.
15. Klinge, B., Meyle, J., Working Group 2. Peri-implant tissue destruction. The Third EAO Consensus Conference 2012. *Clin Oral Impl Res* 2012; 23 : 108-110.
16. Zitzmann, N. U., Berglundh, T. Definition and prevalence of peri-implant diseases. *J Clin Periodontol* 2008; 35 (8 Suppl) : 286-291.
17. Albrektsson, T., Jansson, T., Lekholm, U. Osseointegrated dental implants. *Dent Clin North Am* 1986; (30) 1 : 151-174.
18. Mombelli, A., Lang, N. P. The diagnosis and treatment of peri-implantitis. *Periodontol 2000* 1998; 17 : 63-76.
19. Vela, X., Méndez, V., Rodríguez, X., Segalá, M., Tarnow, D. P. Crestal bone changes on platform-switched implants and adjacent teeth when the tooth-implant distance is less than 1.5 mm. *Int J Periodontics Restorative Dent* 2012; 32 (2) : 149-155.
20. Mombelli, A., Lang, N. P. The diagnosis and treatment of peri-implantitis. *Periodontol 2000* 1998; 17 : 63-76.
21. Mishler, O. P., Shiau, H. J. Management of peri-implant disease: A current appraisal. *J Evid Based Dent Pract* 2014; 14 (Suppl) : 53-59.
22. Mishler, O. P., Shiau, H. J. Management of peri-implant disease: A current appraisal. *J Evid Based Dent Pract* 2014; 14 (Suppl) : 53-59.
23. Lang, N. P., Berglundh, T., on Behalf of Working Group 4 of the Seventh European Workshop on Periodontology. Periimplant diseases: where are we now? – Consensus of the Seventh European Workshop on Periodontology. *J Clin Periodontol* 2011; 38 : 178-181.
24. Lindquist, L. W., Carlsson, G. E., Jemt, T. A prospective 15-year follow-up study of mandibular fixed prostheses supported by osseointegrated implants. Clinical results and marginal bone loss. *Clin Oral Impl Res* 1996; 7 (4) : 329-336.
25. Karoussis, I. K., Brägger, U., Salvi, G. E., Bürgin, W., Lang, N. P. Effect of implant design on survival and success rates of titanium oral implants: A 10-year prospective cohort study of the ITI Dental Implant System. *Clin Oral Impl Res* 2004; 15 (1) : 8-17.
26. Becker, J., Ferrari, D., Herten, M., Kirsch, A., Schaer, A., Schwarz, F. Influence of platform switching on crestal bone changes at non-submerged titanium implants: A histomorphometrical study in dogs. *J Clin Periodontol* 2007; 34 (12) : 1089-1096.
27. Becker, J., Ferrari, D., Mihatovic, I., Sahm, N., Schaer, A., Schwarz, F. Stability of crestal bone level at platform-switched non-submerged titanium implants: A histomorphometrical study in dogs. *J Clin Periodontol* 2009; 36 (6) : 532-539.

28. Lazzara, R. J., Porter, S. S. Platform switching: A new concept in implant dentistry for controlling postrestorative crestal bone levels. *Int J Periodontics Restorative Dent* 2006; 26 (1) : 9-17.
29. Atieh, M. A., Ibrahim, H. M., Atieh, A. H. Platform switching for marginal bone preservation around dental implants: A systematic review and meta-analysis. *J Periodontol* 2010; 81 (10) : 1350-1366.
30. Van der Weijden, G. A., van Bommel, K. M., Renvert, S. Implant therapy in partially edentulous, periodontally compromised patients: A review. *J Clin Periodontol* 2005; 32 (5) : 506-511.
31. Karoussis, I. K., Salvi, G. E., Heitz-Mayfield, L. J. A., Brägger, U., Hämmerle, C. H. F., Lang, N. P. Long-term implant prognosis in patients with and without a history of chronic periodontitis: A 10-year prospective cohort study of the ITI Dental Implant System. *Clin Oral Impl Res* 2003; 14 (3) : 329-339.
32. Simonis, P., Dufour, T., Tenenbaum, H. Long-term implant survival and success: A 10-16-year follow-up of non-submerged dental implants. *Clin Oral Impl Res* 2010; 21 (7) : 772-777.
33. Rocuzzo, M., De Angelis, N., Bonino, L., Aglietta, M. Ten-year results of a three-arm prospective cohort study on implants in periodontally compromised patients. Part I: Implant loss and radiographic bone loss. *Clin Oral Impl Res* 2010; 21 (5) : 490-496.
34. Rosenberg, E. S., Cho, S.-C., Elian, N., Jalbout, Z. N., Froum, S., Evian, C. I. A comparison of characteristics of implant failure and survival in periodontally compromised and periodontally healthy patients: a clinical report. *Int J Oral Maxillofac Implants* 2004; 19 (6) : 873-879.
35. Safii, S. H., Palmer, R. M., Wilson, R. F. Risk of implant failure and marginal bone loss in subjects with a history of periodontitis: A systematic review and meta-analysis. *Clin Implant Dent Relat Res* 2010; 12 (3) : 165-174.
36. Baelum, V., Ellegaard, B. Implant survival in periodontally compromised patients. *J Periodontol* 2004; 75 (10) : 1404-1412.
37. Schou, S. Implant treatment in periodontitis-susceptible patients: A systematic review. *J Oral Rehabil* 2008; 35 (S1) : 9-22.
38. Roos-Jansåker, A.-M., Renvert, H., Lindahl, C., Renvert, S. Nine- to fourteen-year follow-up of implant treatment. Part III: Factors associated with peri-implant lesions. *J Clin Periodontol* 2006; 33 (4) : 296-301.
39. Haas, R., Haimböck, W., Mailath, G., Watzek, G. The relationship of smoking on peri-implant tissue: A retrospective study. *J Prosthet Dent* 1996; 76 (6) : 592-596.
40. Lindquist, L. W., Carlsson, G. E., Jemt, T. Association between marginal bone loss around osseointegrated mandibular implants and smoking habits: 10-year follow-up study. *J Dent Res* 1997; 76 (10) : 1667-1674.
41. Klokkevold, P. R., Han, T. J. How do smoking, diabetes, and periodontitis affect outcomes of implant treatment? *Int J Oral Maxillofac Implants* 2007; 22 (Suppl) : 173-202.
42. Hinode, D., Tanabe, S., Yokoyama, M., Fujisawa, K., Yamauchi, E., Miyamoto, Y. Influence of smoking on osseointegrated implant failure: A meta-analysis. *Clin Oral Impl Res* 2006; 17 (4) : 473-478.
43. Gómez-Moreno, G., Aguilar-Salvatierra, A., Rubio Roldán, J., Guardia, J., Gargallo, J., Calvo-Guirado, J. L. Peri-implant evaluation in type 2 diabetes mellitus patients: A 3-year study. *Clin Oral Impl Res* 2014; 26 (9) : 1-5.
44. Lindquist, L. W., Carlsson, G. E., Jemt, T. A prospective 15-year follow-up study of mandibular fixed prostheses supported by osseointegrated implants. Clinical results and marginal bone loss. *Clin Oral Impl Res* 1996; 7 (4) : 329-336.
45. Lindquist, L. W., Carlsson, G. E., Jemt, T. Association between marginal bone loss around osseointegrated mandibular implants and smoking habits: A 10-year follow-up study. *J Dent Res* 1997; 76 (10) : 1667-1674.
46. Fu, J.-H., Hsu, Y.-T., Wang, H.-L. Identifying occlusal overload and how to deal with it to avoid marginal bone loss around implants. *Eur J Oral Implantol* 2012; 5 (Suppl) : S91-103.
47. Hudieb, M. I., Wakabayashi, N., Kasugai, S. Magnitude and direction of mechanical stress at the osseointegrated interface of the microthread implant. *J Periodontol* 2011; 82 (7) : 1061-1070.
48. Rungsiyakull, C., Rungsiyakull, P., Li, Q., Li, W., Swain, M. Effects of occlusal inclination and loading on mandibular bone remodeling: A finite element study. *Int J Oral Maxillofac Implants* 2011; 26 (3) : 527-537.
49. Renvert, S., Giovannoli, J.-L. *Peri-implantitis*. Paris : Quintessence, 2012.
50. Carneiro, T., de A. P. N., Prudente, M. S., e Pessoa, R. S., Mendonça, G., das Neves, F. D. A conservative approach to retrieve a fractured abutment screw – Case report. *J Prosthodont Res* [en ligne]. [Consulté le 7 décembre 2015]. Disponible au [www.sciencedirect.com/science/article/pii/S1883195815000973](http://www.sciencedirect.com/science/article/pii/S1883195815000973).
51. Lundgren, D., Laurell, L. Biomechanical aspects of fixed bridgework supported by natural teeth and endosseous implants. *Periodontol* 2000 1994; 4 : 23-40.
52. Brito, C., Tenenbaum, H. C., Wong, B. K. C., Schmitt, C., Nogueira-Filho, G. Is keratinized mucosa indispensable to maintain peri-implant health? A systematic review of the literature. *J Biomed Mater Res B, Appl Biomater* 2014; 102 (3) : 643-650.
53. Lin, G.-H., Chan, H.-L., Wang, H.-L. The significance of keratinized mucosa on implant health: A systematic review. *J Periodontol* 2013; 84 (12) : 1755-1767.

54. Wennström, J. L., Bengazi, F., Lekholm, U. The influence of the masticatory mucosa on the peri-implant soft tissue condition. *Clin Oral Implants Res* 1994; 5 (1) : 1-8.
55. Bengazi, F., Wennström, J. L., Lekholm, U. Recession of the soft tissue margin at oral implants. A 2-year longitudinal prospective study. *Clin Oral Implants Res* 1996; 7 (4) : 303-310.
56. Frisch, E., Ziebolz, D., Vach, K., Ratka-Krüger, P. The effect of keratinized mucosa width on peri-implant outcome under supportive postimplant therapy. *Clin Implant Dent Relat Res* 2013; 17 (Suppl 1) : 236-44.
57. Wilson, T. G. The positive relationship between excess cement and peri-implant disease: A prospective clinical endoscopic study. *J Periodontol* 2009; 80 (9) : 1388-1392.
58. Linkevicius, T., Puisys, A., Vindasiute, E., Linkeviciene, L., Apse, P. Does residual cement around implant-supported restorations cause peri-implant disease? A retrospective case analysis. *Clin Oral Impl Res* 2013; 24 (11) : 1179-84.
59. Galindo-Moreno, P., Fauri, M., Avila-Ortiz, G., Fernández-Barbero, J. E., Cabrera-León, A., Sánchez-Fernández, E. Influence of alcohol and tobacco habits on peri-implant marginal bone loss: A prospective study. *Clin Oral Impl Res* 2005; 16 (5) : 579-586.
60. Krennmair, G., Seemann, R., Piehslinger, E. Dental implants in patients with rheumatoid arthritis: Clinical outcome and peri-implant findings. *J Clin Periodontol* 2010; 37 (10) : 928-936.
61. Renvert, S., Aghazadeh, A., Hallström, H., Persson, G. R. Factors related to peri-implantitis - a retrospective study. *Clin Oral Impl Res* 2014; 25 (4) : 522-529.
62. Hsu, Y.-T., Mason, S. A., Wang, H.-L. Biological implant complications and their management. *J Int Acad Periodontol* 2014; 16 (1) : 9-18.
63. Renvert, S., Polyzois, I., Persson, G. R. Treatment modalities for peri-implant mucositis and peri-implantitis. *Am J Dent* 2013; 26 (6) : 313-318.
64. Faggion, C. M., Chambrone, L., Listl, S., Tu, Y.-K. Network meta-analysis for evaluating interventions in implant dentistry: The case of peri-implantitis treatment. *Clin Implant Dent Related Res* 2013; 15 (4) : 576-588.
65. Serino, G., Turri, A. Outcome of surgical treatment of peri-implantitis: Results from a 2-year prospective clinical study in humans. *Clin Oral Impl Res* 2011; 22 (11) : 1214-1220.
66. Khoshkam, V., Chan, H. L., Lin, G. H., MacEachern, M. P., Monje, A., Suarez, F. et collab. Reconstructive procedures for treating peri-implantitis: A systematic review. *J Dent Res* 2013; 92 (2 Suppl) : 131S-8S.
67. Natto, Z. S., Aladmawy, M., Levi, P. A., Wang, H.-L. Comparison of the efficacy of different types of lasers for the treatment of peri-implantitis: A systematic review. *Int J Oral, Maxillofac Impl* 2015; 30 (2) : 338-345.
68. Javed, F., Alghamdi, A. S. T., Ahmed, A., Mikami, T., Ahmed, H. B., Tenenbaum, H. C. Clinical efficacy of antibiotics in the treatment of peri-implantitis. *Int Dent J* 2013; 63 (4) : 169-176.
69. Van Winkelhoff, A. J. Antibiotics in the treatment of peri-implantitis. *Eur J Oral Implantol* 2012; 5 (Suppl) : S43-50.
70. Chambrone, L., Chambrone, L. A., Lima, L. A. Effects of occlusal overload on peri-implant tissue health: A systematic review of animal-model studies. *J Periodontol* 2010; 1 (10) : 1367-1378.